

## BV410D BV420D

Desktop printer series

### Product brochure

---

- Toshiba's most advanced desktop print technology is incorporated into a sleek case designed for the ultimate user experience.
- Coming with a new powerful and scalable system architecture the BV410D/BV420D future-proofs your investment.
- With a broad set of standard interfaces and optional Wi-Fi or Bluetooth, the BV410D/BV420D easily integrates into even the most complex IT environments.



# The ever-changing workplace

## Delivering reliability to meet future challenges

Every business is unique. That's why Toshiba offers the most reliable print solutions that meet all your labeling requirements, day after day. Toshiba barcode printers provide connectivity and solutions to adapt to the needs of an ever-changing workplace.

Toshiba's barcode printers continue to deliver on our promise of Together Information – our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your evolving workplace needs.

## The strong combination of excellent design & advanced connectivity

Toshiba's most advanced desktop printer consists of three different models, all with a small footprint, intelligent design which brings simplicity and efficiency raising the user experience to the next level. Latest connectivity features enable this printer to be integrated into various networks and thanks to the multiple available printer language emulations into almost every print scenario. The robustness of the printer offers high print quality and performance rivaling the majority of mid-ranged printers.



# Smooth design yet outstanding

## Designed with the user in mind

Ultimate compactness is core design criteria that led to the creation of the BV410D desktop printer range, suitable for versatile applications. With its small footprint and elegant case, these printers suit retail shops, offices or any workplaces where space is a premium.

## Usability clear as day

The sleek design of the BV410D/BV420D eliminates all redundant fussiness and concentrates on delivering clarity of operation to the user. The integrated LCD screen of the BV410D provides clear information and notifications that are emphasised by the colour change of the status lights. The user can change main settings directly on the printer whereas the remote operator connections allow the full printer setup from afar.

## A model to meet every need

With models available in 203 and 300 dpi versions, the BV410D fits into almost any operating environment. The addition of a linerless BV420D version enables the printer to print on adhesive labels with no backing paper reducing waste and keeping the work environment safe and clean.

## Future-ready operating system

The redesigned OS platform supports multi printer language emulations, which enables simple integration into complex IT environments. This platform adds not only performance but extends the connectivity and adaptability of the BV410D/BV420D to keep pace with the requirements of an ever-changing workplace.

## Speed & efficiency

A series of features makes sure your desktop printer is ready to print labels and receipts quickly and efficiently at the touch of a button. The BV410D/BV420D's productivity is maximised by market leading print speeds of up to 7 inches per second and an advanced CPU which processes your data even quicker. Thanks to the rapid boot-time the printer is ready almost instantly when turned on.

## Delivering reliability to meet future challenges

Designed to endure the toughest retail environments the renowned reliability of the BV410D/BV420D printers eliminates almost any downtime – day after day. With built-in AC adapters<sup>1)</sup> the Toshiba desktop printers are the perfect fit, ensuring a safe work place.

## Key highlights

- Market leading throughput with up to 7 ips
- Compact & sleek design with a small footprint
- Intuitive & clear user experience
- Vast print emulation languages
- Huge performance & functionality at a truly low total cost of ownership



# Specifications

## Models

<b>White case</b>	<b><u>BV410D-GS02</u></b>	<b><u>BV410D-TS02</u></b>
Resolution	203 dpi (8 dots/mm)	300 dpi (11.8 dots/mm)
User Interface	2x LED, 3x key, with LCD	2x LED, 3x keys, with LCD
<b>Black case</b>	<b><u>BV420D-GS02</u></b>	<b><u>BV420D-TS02</u></b>
Resolution	203 dpi (8 dots/mm)	300 dpi (11.8 dots/mm)
User Interface	3x LED, 2x key	3x LED, 2x key
<b>Black case linerless cutter</b>	<b><u>BV420D-GL02</u></b>	
Resolution	203 dpi (8 dots/mm)	
User Interface	3x LED, 2x key	
Cutter	Integrated linerless cutter	

## General

<b>Print Method</b>	Direct thermal	
<b>Printhead</b>	Flat head	
<b>Dimensions (W x D x H)</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> 174 x 218 x 173 mm	<b><u>BV420D-GL02</u></b> 174 x 288 x 173 mm
<b>Weight</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> 2.0 kg	<b><u>BV420D-GL02</u></b> 2.6 kg
<b>Memory</b>	128 MB (FROM), 128 MB (SRAM)	
<b>Operating Temperature / Humidity</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> 5 - 40°C (41 - 104°F) / 25 - 85% non-condensing relative humidity (RH)	<b><u>BV420D-GL02</u></b> 5 - 35°C (41 - 95°F) / 25 - 85% non-condensing relative humidity (RH)
<b>Storage Temperature / Humidity</b>	-20 - 60°C (-4 - 140°F) / 10 - 90% non-condensing relative humidity (RH)	
<b>Power Supply</b>	AC 100 - 240 V, 50/60 Hz	

## Print

<b>Sensor</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> Reflective, transmissive	<b><u>BV420D-GL02</u></b> Reflective	
<b>Max. Print Speed</b>	<b><u>BV410D/420D-GS02</u></b> <b><u>BV420D-GL02</u></b> 7 ips (177.8 mm/s)	<b><u>BV410D/420D-TS02</u></b> 5 ips (127 mm/s)	
<b>Max. Print Width</b>	<b><u>BV410D/420D-GS02</u></b> 108 mm	<b><u>BV410D/420D-TS02</u></b> 105.7 mm	<b><u>BV420D-GL02</u></b> 99 mm
<b>Print Length</b>	8 - 997 mm		
Batch	19.4 - 993 mm <sup>1)</sup>		
Cut	23.4 - 150.4 mm <sup>1)</sup>		
Peel-off			
<b>Barcodes</b>	UPC/EAN/JAN, Code 39, Code 93, Code 128, EAN 128, NW7, MSI, Interleaved 2 of 5, Industrial 2 of 5, Matrix 2 of 5, POSTNET, RM4SCC, KIX Code, Customer Barcode, GS1 DataBar, USPS Intelligent Mail Barcode		
<b>2D Codes</b>	Data Matrix, PDF 417, MaxiCode, QR Code, Micro PDF 417, Micro QR, GS1 Data Matrix, Aztec Code		
<b>Fonts</b>	Bitmap font, outline font, price font, optional TTF, writable characters		

## Media

<b>Alignment</b>	Centred	
<b>Backing Paper Width</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> 25.4 - 118 mm	<b><u>BV420D-GL02</u></b> 32 - 102 mm
<b>Label Thickness</b>	0.06 - 0.19 mm	
<b>Inner Media Core Diameter</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> 25.4, 38.1, 42, 76.2 mm	<b><u>BV420D-GL02</u></b> 38.1 mm
<b>Outer Media Core Diameter</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> Max. 127 mm Max. 214 mm	<b><u>BV420D-GL02</u></b> Max. 107 mm
<b>Standard</b>	Max. 127 mm	
<b>Optional</b>	Max. 214 mm	
<b>Media Format</b>	<b><u>BV410D-GS02/TS02</u></b> <b><u>BV420D-GS02/TS02</u></b> Roll, fanfold	<b><u>BV420D-GL02</u></b> Roll

## Software & Connectivity

<b>Emulation</b>	ZPL II, DPL, SBPL
<b>Printer Driver</b>	Windows 10/8.1/8/7 (32/64 bit), Windows Server 2016, Windows Server 2012 R2/Server 2012/Server 2008 R2, SAP
<b>SDK</b>	iOS, Android, Windows, Java
<b>Interface</b>	USB 2.0, Ethernet 10/100 Base T (IPv4 & IPv6), WLAN 802.11a/b/g/n (dual band for 2.4 GHz/5 GHz) <sup>1)2)</sup> , Bluetooth V2.1 EDR with MFi certified <sup>1)2)</sup> , Serial port <sup>1)</sup>
<b>Language Mode</b>	TPCL, Basic Command Interpreter (BCI)
<b>Label Software</b>	BarTender UltraLite (co-packed)

## Options

<b>For BV410D/BV420D</b>	Full cutter module <sup>3)</sup> , Partial cutter module <sup>3)</sup> , Peel-off module <sup>3)</sup> , Serial interface board, Wireless LAN module, Bluetooth module, AC adapter cover, External media stand <sup>3)</sup>
--------------------------	--

<sup>1)</sup> Optional

<sup>2)</sup> Availability varies from country to country

<sup>3)</sup> Not available for BV420D-GL02

**BarTender**  
BY SEAGULL SCIENTIFIC®



## About Toshiba

Toshiba (Australia) Pty Limited is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors. Toshiba is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

**Toshiba (Australia) Pty Limited**  
Building C, 12-24 Talavera Road,  
North Ryde. 2113. Australia  
Tel: 1300 794 202

**New Zealand**  
32 Lunn Avenue, Mt Wellington. Auckland.  
Tel: 09 570 8530

[www.toshiba-business.com.au](http://www.toshiba-business.com.au)  
[www.toshiba-business.co.nz](http://www.toshiba-business.co.nz)

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

For more information please visit [www.toshiba-business.com.au](http://www.toshiba-business.com.au)